



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. - 132932/UPPCB/Noida(UPPCBRO)/CTO/air/NOIDA/2021

Dated : 30/12/2021

To ,

Shri SAURABH CHOUDHRY
M/s ICARE EYE HOSPITAL AND POST GRADUATE INSTITUTE
E3A, SECTOR 26, NOIDA,GAUTAM BUDH NAGAR,201301
NOIDA

Sub : Consent under section 21/22 of **the Air** (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. ICARE EYE HOSPITAL AND POST GRADUATE INSTITUTE

Reference Application No. 12969689

Dated : 30/12/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s ICARE EYE HOSPITAL AND POST GRADUATE INSTITUTE. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from **30/12/2021 to 31/12/2026** .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

REGIONAL OFFICER
NOIDA

Enclosed : As above
(condition of consent):

Copy to: CHIEF ENVIRONMENTAL OFFICER (CIRCLE-1), U.P. POLLUTION CONTROL BOARD,
LUCKNOW.

REGIONAL OFFICER
NOIDA

U.P. Pollution Control Board

Dated : 30/12/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of EYE HOSPITAL-60 BEDS.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

- 3(b) Air Pollution Source Details.

| Air Pollution Source Details | | | | | |
|-------------------------------------|----------------------------|---------------------|------------------|-----------------------|---|
| S.No | Air Polution Source | Type of Fuel | Stack No. | Parameters | Height |
| 1 | 200 K.V.A. D.G. SET | DIESEL | 01 | Particulate Matter | 3.0 METER FROM NEAREST ROOFTOP |
| 2 | 400 K.V.A. D.G. SET | DIESEL | 02 | Particulate Matter | 4.0 METER FROM NEAREST ROOFTOP |

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

| Emission Quality Details Detail | | | |
|--|-----------------|------------------|-----------------|
| S.No | Stack No | Parameter | Standard |

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. The unit shall comply with the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
2. Generated Bio medical waste shall be collected, segregated and disposed according to Rule 4 and 8 of Bio- Medical Waste Management Rules, 2016 as amended.
3. The unit shall ensure safe disposal of Bio Medical Waste within 48 hours of generation and collection.
4. Solid waste generated shall be disposed according to Solid Waste Rules 2016.
5. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment (Protection) Act 1986, and direction issued by CPCB and Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts.
6. Unit shall maintain records of Bio Medical Waste generated and disposed according to the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
7. Take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
8. Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I, to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I of BMW Rules 2016
9. Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal;
10. Phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of these rules;
11. Dispose of solid waste other than bio-medical waste in accordance with the provisions of Respective waste management rules made under the relevant laws and amended from time to time;
12. Provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
13. Immunize all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
14. Establish a Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one year from the date of the notification of these rules;
15. Ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other effluent generated from health care facilities;
16. Ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974)
17. Ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipments.
18. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same.
19. Maintain and update on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I of BMW Rules 2016.
20. Report major accidents including accidents caused by fire hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report.
21. Make available the annual report on its web-site and all the health care facilities shall make own website within two years from the date of notification of these rules.
22. Inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

**REGIONAL OFFICER
NOIDA**